

Shenzhen ORVIBO Technology Co., Ltd

As a veteran and pioneer of IOT industry since 2011, ORVIBO focused on R&D, technology innovation, manufacturing of smart home devices and complete systems, including home automation, energy saving, lighting control, home security, ventilation & heating, curtain & sunshade control, home appliances control, etc..





ORVIBO Full House Smart Home System

Based on IoT, Al and cloud computing technology, make home appliances and multiple devices connected to build the full-view smart home systems.



























- ATTENDED




























































New Super Multi-functional Smart Panel

MixPad Family

Six Kinds Of Interactions To Satisfy The Whole Family

Touch screen, voice, gesture, APP, button

Compatible With Many Products

Zigbee, Bluetooth, WiFi, 485, KNX

No Need To Wake Up, Really Smart

One step wake up nearby, active intelligence

One In A Room, Easy To Install

Single 86 Convenient reinstallation, distributed wall switch







Super Smart Panel MixPad Series

Powerful IoT connectivity | 6D multi-modal wall interaction | Clearly scene model











5G smart life, in one step

MixPad X Full View Screen Super Smart Panel

Beautiful Panoramic Widescreen

12.3 inch ultra clear panoramic screen

Power Pioneer In The 5G Era

Equipped with Qualcomm Snapdragon X55

Control Thousands Of Devices With One Screen

Powerful multi-protocol smart gateway

35 Million Genuine Music For Free Listening

High-fidelity stereo wall speaker

Easy Installation

Standard 86 back box design

One Panel All Smart

MixPad S All-in-one Gateway Panel

All-in-one Interaction
Multi-protocol Smart Home Gateway
Scenario-based Home Service
Smart Voice Control















iF Design Award 2019 · German Design Award

RedDot Design Award 2018 · German Design Award

RedDot Communication Design Award 2018 · German Interaction Design Award RedDot User Experience Design Award 2020 · German User Experience Award

IDEA 2018 · American Product Design Award

2018 China · SDA (Global Design Award) Most Growth Award 2019 China · SDA (Global Design Award) Most Growth Award

2019 Germany \cdot ICONIC Awards Iconic Architecture Design Award



Mixpad S Grey









New Smart Panel

MixPad Mini

Install with MixSwitch, Classic and beautiful Intelligent control of home appliances such as lights, air conditioners, curtains, etc. Easy installation, replace traditional switch in one step Voice, touch, App multiple control methods

Border color





White

Black



Technology And Aesthetics Create Wall Art

MixSwitch

One–key full house lighting control

Beautiful to simple, matching extraordinary taste

Intelligently control multiple devices, wonderful home experience

RelayPro–Tech, patented technology, durable





























1 gang











ive-hole socket

Battery typ





10 inches high-definition touch screen
Community Property Information Platform
Control the full house smart home
Linkage villa door machine, Al video intercom



Visual Intercom & Intelligent Central Control

MixPad E Super Smart Panel

Support Al voice visual intercom

Far-field voice, touch, App multiple control methods

Compatible with wired / wireless security

Intelligent control of full house appliances



Bluetooth & WiFi Smart Panel

MixPad Genie

APP, Touch screen and button remote control Multiple protocol connections make traditional home appliances smart Multiple installation methods, Zero & Fire Wire / Type-C With Type-C interface, it can charge your mobile phone.














Classic Design, Traditional Lighting Easily Becomes Smart

Touch Classic Series Smart Switch

3D deep tempered glass panel, anti-scratch
Using C-Touch touch technology, 3 milliseconds extremely fast response
Fluorescence display at night, gentle and not dazzling
One key control of full house lights, APP/voice can be linked





200W Load range Supports two-loop light control



Hidden installation, Traditional switch upgrade In–wall Smart Switch (L/N)

400W Load range
Supports three–loop light control and four scenes control



Mixpad series built-in HOME AI 3.0 First full house intelligent operating system with active intelligence

Support mainstream IoT ecology







Smart Lighting

New 6D multi-modal interaction

10000-level high-precision adjustment
Scene lighting experience

Dozens of professional lamps to choose from





Deep cup anti-glare, create indoor natural light source

Anti-glare Smart Spotlight Sseries

Anti-glare index <UGR13, far exceeding the national standard 7W/12W optional, suitable for both high and low floors Multiple beam angles are optional, suitable for different local lighting





Screen-level family atmosphere master S Series Light Strip (S series

Stepless dimming with dual color temperature 2700–6500K wide–area color temperature Bipolar power supply without stroboscopic design





First choice for whole-house lighting over 100 square meters Smart LED Light

Brightness / color temperature stepless adjustment 2700-6500K wide-area color temperature Ra90 high rendering index LED light source Free group management, scene mode customization





Smart LED Downlight

Smart LED Spotlight



Smart Magnetic Track Spotlight Series

Universal change of illumination angle

Suitable for accent lighting of bedside, wine cabinets, murals, handicrafts, etc.









The grille design shields the exposed light source to ensure high illumination and uniform anti–glare at the same time. Suitable for space key down photos





Deep anti-glare, create indoor natural light source

Smart magnetic track floodlight (S series)

The light is soft and natural, which can irradiate evenly in all directions. It is mainly used for Basic lighting for flood light





Smart Magnetic Chandelier S2

50mm diameter ×1200mm height(adjustable) Turn on/off light

Color temperature control with dimming

2700-6000k color temperature stepless adjustment





Surface-mounted Smart Downlight S3


75mm x 75mm x 95mm (Square) | 93mm x 106mm (Circular)
white/black color | Turn on/off light
Color temperature control with dimming
2700-6000k color temperature stepless adjustment





Circular type

Square type





Mural Speaker ArtisBox 1 Hi-Fi

27" modern art mural, beautiful scenery of the home DSP panoramic surround sound, high-quality audio experience Integrated intelligent scene experience









Purple

Gray

Orange






Green



Red





Magic Cube IR Controller

One–key control of infrared appliances in the whole house by mobile phone App 10 meters remote control, 360° infrared signal coverage without dead angle Won the 2016 Taiwan Golden Pin Design Award Won the 2017 German iF Product Design Award



Free your hands and bid farewell to the remote control of home appliances

Magic Dot IR Controller

Linkage with air conditioners, TVs, set-top boxes, fans, stereos, etc. Zigbee signal control home appliances 360° infrared signal without dead angle coverage Won the 2019 German Red Dot Design Award



The second-generation ceiling-mounted background music speaker, the new sound of home wisdom

BM2 Ceiling Speaker

25-core titanium film tweeter +50W super power, cinematic sound
Borderless design, perfectly integrated into various decoration styles
Connect to MixPad and create more life scenes with music
Bluetooth connection freely, compatible with mobile phones, computers, TVs, etc.




Radio Frequency / Infrared Integrated Smart Control Center Allone Pro IR & RF Remote Controller

Traditional devices easily become smart
Interoperability with a wealth of third–party RF products
Support 95%+ infrared home appliance control
300 meters remote radio frequency remote control







More Safe And More Advanced

Smart Door Lock S2

Independent verification of smart lock cylinder Real gold plating armor handle MAX 800 long battery life Full house smart linkage

Passed 50+ professional quality control tests

300,000 times Lock spring life test 300,000 times Lock body life test 6000N

The main bolt resists lateral pressure

300,000 times Motor life test

-40° ~75° Temperature tolerance test

Constant heat and humidity work test

48 hours

200,000 times High and low temp--erature cycle test

120 hours Salt spray test



Extremely Safe, Extraordinary Temperament

Smart Door Lock A1

WiFi smart door lock, small lock body, US type, Support NFC, password, Card unlock. realize the linkage of the whole house smart home.



9 Major Hard-core Technologies To Create The Ultimate Safety And Smart Experience

Smart Door Lock C1

Mobile phone NFC encryption unlock
Six unlocking methods for the whole family
Financial-grade encryption chip, anti-tampering and anti-counterfeiting
WiFi direct connection, smart home linkage in the whole house



Fingerprint unlock
Fast fingerprint recognition in 0.3 seconds



Password unlock Support up to 32-bit virtual password



Convenient card unlock Designed for the elderly and children



Temporary password unlock More convenient for visitors



Key unlock Not afraid of emergencies



Mobile phone NFC unlock
The phone turns on at the touch
of a button



High–definition Picture Quality Horizontal 355 $^{\circ}$ Vertical $--20^{\circ}$ $^{\circ}$ 90 $^{\circ}$ field of view

Smart IP Camera S1

2K Full HD wide–angle image quality
Large wide–angle dual rotating platform, no dead angle stereo monitoring
Large cloud storage, 7 days video can be reviewed
2–way voice, support 128G SD card for local video record




Family scene linkage, lights will be on when people arrive Leaving mode, prompt reminder of abnormal break-in Tool-free installation, three steps to get



Smart Device Interconnection Essential For Home Security

Door / Window Sensor

Remote control to close the windows in A suddenly rainy day. Leaving mode, prompt reminder of abnormal break-in Tool-free installation, three steps to get





High-torque high-end villa curtains


Ultra-quiet smart curtain motor


"Planetary ultra-quiet" design, ≤ 35dB low sound opening and closing

Voice /APP/ remote control all-round intelligent control 100m signal stable coverage

5 years peace of mind guarantee, solid quality








No need to wire, the old house is better for refurbishment **Smart Curtain Set – Chocolate Version**

Complete package including motor, track, remote control Lithium battery power supply, easy installation without slotted wiring 50KG super load-bearing 30dB dual ultra-quiet design





Adjustable track, Easy To Install

Smart Curtain Motor Kit

Slow start and stop, silky running experience Pull lightly to start automatically, open and close and slide to the end

Thick aluminum alloy material, stable and strong







More convenient central air conditioning control center

AirMaster Max Central Air Conditioning Smart Control Kit

Intelligent HVAC control, effectively saving energy
Support MixPad voice control
Simultaneously control up to 64 devices
Support 95% central air conditioning and fresh air equipment
Link home appliances, enjoy the intelligence of the whole house



Smart Air-drying Sterilization, Smart Clothes Drying

Smart Hanger

Medical grade UV sterilization rate 99.99% Extremely fast drying / air drying Support APP remote control 50KG super load-bearing








Fashion Voice Control Version

Premium disinfection Luxury drying version version





Strategic Cooperation

Aidea 美的企业 智慧生活 美的人生	M 紅樹・東朝氏 MAGALUNE 全球を加速なる方	SAIF?artners	Rundro	TOPBAND 拓邦	Wez B
МЕДІЛТЕК	TIGER CUB FUNDS	花样年	CARRIES SEAR	▲ 绿地集团	Vanke 方科 放弃主命 A K M 市
F-167	中報 corco	<mark> ※ 华润置地</mark>	奥园>	11层集團	№ 恒大集团 EXERCIAADE GROUP
OThink 總信他产	☞ 银亿股份	14. 超解樂团	Zinenro 正荣地产	₽ 你利 [®] 地产	■。金岫集团 Genedak Fi サ X X
华鴻嘉信	€ CFLD	○ 葛洲坝集团 GEZHOUNA GROUP	Ф 中迪希邦集团 ZDBIGRAND GROUP	方圆◆	Kaisa 佳兆业
後发地产	M	領地 LEADING	SHIM® 世茂房地产	多祥生地产 Xindipad-MAL1999	Difference Central Con
Nocoles 敏捷地產	美工農地	1 联发集团	吃光地产 IOCAM PROPERTY	Long for Rumber	● 學城集団
进 排役儲地产	A 融信集团 ROMONIA GROUP		SUNING 苏宁置业	析福集团 CLIFFORD GROUP	仁恒置地 TANLORD LAND
庭塊集團 TOOM NO COOL	加新力	卓越集团 Excellence Group	RiseSun 亲齒	Tahoe	→ 屋河朱原
ORSUN 無 山 年 田	AGILE 雅尼乐	Midea 美的地产 科技权家 县居总统	JIOKC 金科地产	企 C 集团 IN NUMBER	2 東京
MX 當代置業	 質和地产	€ 上海建工	● 新城控股 FUTURE MOLDINGS	© GREE ₺₽	DAIKIN
★三菱电机 MESURBH ELECTRO	Panasonic	TOSHIBA Leading Innovation >>>	HITACHI Inspire the Need 日立	LG	SAMSUNG

天猫	プJD 療施	些 华为商城	◆ 苏宁易则 suning.com	GOME	TCL
P 中国电信	China Unicom 中華歌通	中国移动 China Mobile	€ 350 www.soc.cn	LBest 鰊齋	土巴兔
Sinomin Made sinomin Made sinomin sinomin si	MACO GOOT CO 新华国 EMS week 20th and con	猫联<mark>传媒</mark> Ullak Media	<u> </u>	搜狐 生 点 www.focus.cn	③
Rokid.	RAYSGEM a matter of taste	介于家网 auntila.com	莫老爷	MAZI - FERR	晶報
家居廊 DECORATION) 开元回陈碧度	Grees Bristlegrass	Yzer	第 <u>「</u> 脚经	创业邦
A-OK [®]	思必驰 ^N AISPE3CH	FOCUS 分众 WESIE 传媒	harman/kardon	SHARP 夏普 BBE \$ EA.BB	YENOVA 班Z韓装領 Essenses
兰舍waner	A0KE	郑禾	异家Jia.coM	BRGAN	NVC 電士照明
Hisense	美的《Midea	AUX 與克斯	Haier	BOSCH	STYORK by distributed (claration).
Topline [®]	A MITSUBISHI	≯ I黑马网 E DARK HORSE	HOPE	的 動家 graphenal con	ifanr
AGILE 雅居乐	上海網灣類	全 基金地产	OPPEIN Str. Vis.	□ 中海地产 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	国贸地产
幽家県 RIBANS CH	©	新亚传媒 AMAD META	是空间 Tkengjian.com	BLLCfid	是承装饰

PROJECTS

1000+ Real Estate Developer's Sample Rooms and Projects.



"6 Derbyshire" Apartment

Place: Singapore Scale: 168 room



XY Hotel Apartment

Place: Beijing, China Scale: 1000 rooms



Henna Hotel- Japan




Villa Project- Australia



Fantasia · Fun Park- Shanghai




Wanke Superior Apartment- Beijing





MixPad S

With built-in powerful processors and environmental sensors,MixPad integrates a variety of interactive methods compatible with a variety of IoT protocols, through Al and big data to create beatiful, convenient and smart life.




MixSwitch Series

Mobile APP, voice robot and panel can be controlled, and the whole room lighting can be controlled remotely.Linkage of 100 devices, customized different scenes.Customize different colors for different users.Support for personalized borders.



MixPad Mini Smart Panel

Single 86 bottom box installation, support 2-way intelligent lighting, support voice control, 4-inch comprehensive touch screen, Zigbee 3.0.Compatible with a variety of Internet of things protocols, through Al and big data, to create a beautiful, convenient intelligent life.



Smart Video Doorbell

75mmx75mmx32 mm 3 Million Pixel 140° PIR detection angle WiFi connection, remote monitor, 2–way voice



MixPad Genie WiFi & Bluetooth Smart Panel

remote control of smart devices, lighting, curtain Four interactive modes: physical buttons, touch screen, Chinese voice, and APP Smart IR control & Speaker & Type C power supply



Magic Cube

IF product design award, support voice control infrared home appliances, highly suitable for mainstream brand home appliances, set most of the remote control in one, a key to open the scene mode, ordinary home appliances become intelligent seconds.



Magic Dot

Support voice control infrared home appliances, highly suitable for mainstream brand home appliances, set most of the remote control in one, a key to open the scene mode, ordinary home appliances become intelligent seconds.



Smart Door Lock A1

WiFi smart door lock, small lock body, US type, Support NFC, password, Card unlock.realize the linkage of the whole house smart home.



Allone Pro

Remote control IR home appliances (TV/ AC/ STB/ fan/ projector etc.) via phone, support voice control, timer control and work as an RF hub.



Smart Lock C1

Support NFC encryption unlock, EMP Protect technology, financial encryption chip, more secure anti-theft alarm network; WiFi ultra-fast internet connection, Al living fingerprint identification, six lock opening methods, realize the linkage of the whole house smart home.



Smart Lock S2

Sweden FPC fingerprint chip, Auto Smart Lock Cylinder, ULPC $^{\rm TM}$ technology, Six alarm function



Smart IP Camera C1

horizontal 355 ° vertical 60° field of view , Pan & Tilt Rotate View, night vision, WiFi connection, remote monitor, 2-way voice, support 128G SD card for local video record



Smart IP Camera S1

59mm x 70mm x 102mm

horizontal 355 $^\circ$ vertical $--20^\circ$ ~90 $^\circ$ field of view , Pan & Tilt Rotate View, night vision, WiFi connection, remote monitor, 2-way voice, support 128G SD card for local video record



AirMaster Central A/C Control Kit

Support 95% of the market mainstream central air conditioning, voice accurate control, intelligent cycle timing, convenient management, efficient energy saving.



Ceiling Bluetooth Speaker

Bluetooth connection, high-fidelity sound.



Central A/C Control Panel

Not only support local control of air—conditioning equipment, but also timing, remote switch, at the same time can also linkage temperature and humidity sensor, real-time adjustment of air conditioning temperature, energy saving optimization.



Artis Box Play

Smart Wall Speaker | 520*720*48mm | DC120V/2.4A 8W*4 Speaker

Built in TWS bluetooth Seven colors to choose



Multi-functional Relay

ZigBee technology is adopted to connect with ordinary curtain motor; Easily control curtains and Windows with smartphone APP to make them become smart devices; Cooperate with ZigBee intelligent host for linkage use of scenario mode.



Smart Curtain Motor

No gateway, direct wi-fi connection; Intelligent linkage ourui primus lighting, intelligent audio and video systems, customized different scene modes; Support voice /APP control; Stop, power cut hand pull, stroke memory, ultra-quiet, stable operation.



ZigBee Smart Tubular Motor

Exclusive patented hand control function, the DC motor is safe, quiet, efficient, energy-saving, and does not generate heat. Support APP one-key setting of stop point, support quickly slightly adjustment of stop and group control.



Smart Curtain Motor

Innovative lithium battery power supply design;Intelligent linkage ourui primus lighting, intelligent audio and video systems, customized different scene modes;A variety of intelligent control curtain, a key switch;Support voice, APP and other intelligent control.



Mini hub

Intelligent control center can connect hundreds of different wireless devices, support ZigBee standard protocol, linkage of smart home devices on various platforms, 10ms fast response, fast definition of your intelligent life scene.



Smart Curtain Motor

New Zigbee solution, strong signal coverage; Intelligent linkage ourui primus lighting, intelligent audio and video systems, customized different scene modes; A variety of intelligent control curtain, a key switch; Support voice, APP and other intelligent control.



Smart Combustible Gas Sensor

Control the lighting by switching or dimming at desired time in convenient and energy-saving way.



Zigbee Emergency Button

One-key telephone alarm, push alarm reminder, ultra-low power consumption, longer battery life, multi-site application, so that peace of mind one step in place.



Smart Smoke Sensor

High sensitive and stable photoelectric sensor, ultra-low power Zigbee wireless networking technology, 85dB super loud alarm sound, timely prevent the spread of danger.



Water Leakage Sensor

High precision and sensitivity, the first time to know the water leakage, overflow, water level changes; Ultra-low power design, longer battery life; Do not let go every accident, immediate induction and rapid processing.



RGB Relay

Connect the ordinary light belt or RGB light belt, support ZigBee HA protocol self-group network technology, and easily adjust the color and light and shade of the light with the smart phone APP to make the color as you wish.



Temperature & Humidity Sensor

Real-time monitoring of abnormal temperature and humidity, intelligent home appliances linkage, digital high-precision sensor, so that care more reasonable and scientific.



Sensor Access Module

It supports the interconnection between all the traditional wired sensors and all zigbee products supported by ourebo to improve the equipment ecology of the smart home system



Touch Classic Series

3D deep tempered glass panel, support c-touch Touch technology, 3ms fast response;Mobile APP, voice robot and panel can be controlled, and the whole room lighting can be controlled remotely.Linkage of 100 devices, customized different scenes.



MixSwitch Non-smart Socket

Size: 86*86mm Power supply: AC250V Rated current: 16A Color: grey, white, golden



Smart WiFi Relay Switch-2 gang (L&N)

Transform traditional switches to smart switch




MixSwitch Non-smart Socket

Size: 86*86mm
Power supply: AC250V 10A
Color: grey, white, golden
Output USB-A: DC 5V/3A, 9V/2A, 12V/1.5A
Output USB-C: DC 5V/3A, 9V/2A, 12V/1.5A




MixSwitch Non-smart Socket

Size: 86*86mm Power supply: AC250V Rated current: 10A Color: grey, white, golden



MixSwitch Non-smart PC Socket

Ethernet socket Size: 86*86mm Color: grey, white, golden



MixSwitch Non-smart TV Socket

TV socket Size: 86*86mm Color: grey, white, golden



Smart Dimmer Controller

Support 0-100% brightness and color temperature adjustment



MixSwitch Non-smart TEL socket

Telephone socket Size: 86*86mm Color: grey, white, golden



Smart Magnetic Folding Grille Light S2

222mm x 22.5mm x 110mm
Turn on/off light
Color temperature control with dimming
2700–6000k color temperature stepless adjustment



MixSwitch Non-smart SOS socket

Ethernet socket | Size: 86*86mm | Power supply: DC24V Rated current: 3A Send alarm signal when emergency happens. Work with sensor connector or MixPad E




Ultra-thin Smart Spotlight S1

96mm x 46mm | 24 $^{\circ}$ /105 $^{\circ}$ Beam angle | Turn on/off light Color temperature control with dimming 2700-6000k color temperature stepless adjustment



Anti-glare Smart Spotlight S1

85mm x 74mm | white/golden/black reflector | Turn on/off light Color temperature control with dimming



Smart Magnetic Chandelier S2 (candle shape 1 lamp)

50mm diameter ×1200mm height(adjustable) Turn on/off light Color temperature control with dimming 2700-6000k color temperature stepless adjustment



Surface-mounted Square Smart Downlight S3

75mm x 75mm x 95mm | white/black color | Turn on/off light Color temperature control with dimming 2700-6000k color temperature stepless adjustment



Smart Magnetic Round Chandelier S2

luminous surface diameter 100mm Turn on/off light Color temperature control with dimming 2700-6000k color temperature stepless adjustment



Surface-mounted Circular Smart Downlight S3

93mm x 106mm | white/black color | Turn on/off light Color temperature control with dimming 2700-6000k color temperature stepless adjustment



Zigbee LED Magnetic Track Spotlight

Ф38*94mm/ Ф60*110mm 8W/15W Rated power Turn on/off light Color temperature control with dimming 2700-6000k color temperature stepless adjustment



Zigbee LED Strip Light (S series)

Color temperature control with dimming Work with LED strip light controller DC 24V, CRI > 80Ra | Length: 5m | Width: 14mm (LED: 8mm) Color temperature range: 2700K–6500K



S Series Smart Lights

Professional home smart lighting, Zigbee smart lights, 98Ra* color render index, 2700-6000k color temperature stepless adjustment



WiFi Smart Hanger

Remote intelligent control, one key lifting, drying, sterilization;Intelligent induction environment, linkage equipment, resistance is stopped;Energy-saving LED lighting, air out the high-end quality of life.

AI FOR BETTER LIFE POWERED BY ORVIBO



Shenzhen ORVIBO Technology Co.,Ltd.

7F,Block A7,Nanshan I Park,No1001 Xueyuan Road,Nanshan District,Shenzhen,518055,PRC
Web: www.orvibo.com
Email: sales@orvibo.com