
FULL HOUSE SMART HOME SYSTEM

Smarter than Ever



O ORVIBO

ShenZhen ORVIBO Technology Co., Ltd

7F, Building No. A7 i–Park, No.1001 Xueyuan AVE., Nanshan District, Shenzhen, 518055, PRC

Web: www.orvibo.com Email: sales@orvibo.com





Global 3.5 Million Users





Chengdu Smart Villas

Shanghai 800+ smart residences





Chengdu 300 smart residences

Shenzhen 44 smart class rooms





Henan 990 smart residences

Henan Smart retirement community



Guangzhou Smart Villas



Beijing Smart Villas



Shanghai

Smart Villas





Xiamen



Sanya

223 Smart Villas



Yunnan 52 smart hotel rooms



380 smart hotel rooms





1421 smart residences

Kunming 240 smart apartments



Yalong Bay, Sanya 100 Smart Villas



Shijiazhuang 3000 smart residences



Tianjing













Xiamen, Fujian 240 smart apartments

Qingdao

Smart Villas



Henan 800 smart residences

Shenzhen

1000+ smart apartments



Chengdu 1000+ smart apartments

Shanghai

3000 smart residences



Shanghai Smart apartments



Beijing Smart residences





















Guangzhou Smart Villas



Shanghai 456 Smart Villas



Japan Smart hotel



Singapore Smart apartments



Wuhan 5497 smart apartments



Guangzhou Smart residences



Tianjing Smart Villas



Chengdu 1413 smart residences



Beijing 1500 smart apartments



Sanya 800+ smart residences

MAKE SMART LIFE COME TRUE

Create Smarter & Comfortable Life Experience for Global Users



Shenzhen – Star River Dante Luxury Home

15 years fan's smart home



Fujian – Longxi Grand View Large Flat A model of luxury intelligent living



400 years old Ming Dynasty mansion

Ming Dynasty mansion transformed into the future intelligent living museum



Nantong – Sky Garden



2000 sq. ft. villa

Olympic Champion Zhongman's Private Residence

Champion quality to create a champion new home



Guangzhou – Tianhe One

Intelligent luxury residential landmark in the Greater Bay Area



MAKE YOUR HOME A DECADE AHEAD

Change the interaction between people and space, and create high-end technical home for each user looking for a better life.


ORVIBO is committed to reshaping the connection between people and environment with technological aesthetics to make life better. HomeAI OS 3.0, the active intelligence system developed by ORVIBO, is a global leader in active intelligence and whole house system capability, with strong technical research and development strength, and a total of more than 300 patents and more than 50 soft documents. We have built a super smart home ecology covering thousands of products.





HomeAI OS 3.0 System Families love to use, more experience


ORVIBO HomeAI OS is the first active intelligent whole home smart home operating system, the first generation of which won the Red Dot Interactive Design Award. It has many industry-first functions, such as"ONE STEP", "Wake Up Nearby", "Quick Link", "Home Appliance Manager", "Ai Sense", etc. It supports mainstream IoT platforms and has been connected to more than 10 million devices. It supports mainstream IoT platforms and has connected to more than 10 million devices.



Smart Life, One Step Ahead


Ten years of lean innovation to build your future home

ORVIBO takes the super smart panel as the interaction center and covers the intelligent product matrix of the whole living space.



Palace-level Product Design

ORVIBO is the only smart home company in the world that has won the Grand Slam of four major international design awards.Especially in 2017, ORVIBO won the iF Gold Award together with Apple, Sony and Ferrari. This is the first Chinese company to win this award in the field of architectural technology since 1954, and it represents the highest honor for global industrial aesthetics.





-\$\$-79 8 -<u>;</u>Q:amp 1 Lamp 2 -0.-·O· Lamp 3 ·Ø-音乐

Scenes

ORVIBO Home

A smarter, simpler and safer IoT APP.

ORVIBO Home is an all-in-one APP to connect lighting, security and more devices inyour home. With its user-friendly interaction and simple controls, you can easily monitor and manage everything in your home. This means it can do more for you, and you can do less.

Support 15 Languages: Chinese(Simplified/Traditional), English, Japanese, French, German, Spanish, Portuguese(Brazilian), Korean, Russian, Vietnamese, Turkish, Czech, Arabic.







works with the Google Assistant





ORVIBO Home



Siri

🔵 amazon alexa



Original Inventor of MixPad

MixPad Super Smart Panel Series


















5G Smart Life in One Step

MixPad X Full Screen Super Smart Panel

- · 12.3 inches widescreen
- \cdot Smart super screen, the perfection of technology and aesthetics
- · Intelligent central control of thousands of devices
- Hi-Fi stereo wall sound







Installation-free design





Support desktop stand placement

Support type-c interface power supply for direct use





Support wall installation Replace the original switch

Like a smart speaker

Smart Panel Funny Life

MixPad Genie

- Multiple installation methods (L&N/Type-C).
- \cdot Can be connected to a variety of speakers.
- · APP remote control, can also be controlled outside.
- Touch screen+buttons.






The Perfect Combination of Aesthetics and Technology

MixPad S Super Smart Panel

Flagship Version

- Subvert the traditional smart switch
- Al voice and APP multi-dimensional interaction
- Cooler home experience
- Ready to use without modification





Act	ive i	ntel	lige	nce	
	anak	-		b	1 2 1 3
		35		16/14	
		U.	ROM	8G	







9月2	20	AR=
•	-	

White







Eight-in-one True Intelligence

MixPad M2 Smart Voice Control Panel

- Four-way high-power light control
- \cdot Smart control of whole house infrared home appliances
- · Touch screen, APP multi-dimensional interaction
- · 400W high power load

Remote control by App







MixPad 7 Ultra

Hello


19:30

30

Home Decoration Smart Screen

- 7 inches Home Aesthetics Large Screen
- 3 Home Style Audio Decorative Surfaces
 - 3+3 high-fidelity background music
 - Super Home Album










Home Aesthetics Album









MixPad7 Smart Voice Control Panel

- Support 4-channel light control
 - Super photo album
 - Stereo, ultra-thin sound











MixPad C2 **Smart Panel**


Let some houses get rich first


- Standard 86 bottom box
 - No need to rewire
- No need to remodel walls




BACKSTAGE ARCHITECTURE

Lacoste Stevens











Technology and Aesthetics Create wall arts

MixSwitch Series








MixSwitch Defy

Defy Series Smart Switch

- · Dual-screen intelligent switch
- · 200 keystrokes professional adjustment
- · Hand paint material spraying process
- MixCtrl ™ 2.0 button



Mobile APP

custom button





MixSwitch Bach Bach Series Smart Switch

3-inch IPS high-definition touch screen | Support Max800W light control Modular townhouse design | Customizable color and button names







Infrared control 9600+ brand

Light controls*4 Load range:: Max 800W












Free definition, intelligent life within reach.

MixSwitch Super Smart Switch

- · One-key switch control the whole house lights
- \cdot Three colors optional
- Intelligent control of multiple devices
- RelayPro–Tech ™ patented technology, durable



Easy control from

mobile phone







Great beauty to simplicity Match extraordinary taste









16A 1 Gang







Five-hole fast charge







Five holes 1 Gang







Emergency button

Full House Security System

Smart Security, 360° Protection

Smart lock series | Smart camera series | Smart sensor series

<complex-block>



MORE SAFE & MORE ADVANCED ORVIBO Smart Door Lock S2

- Independent verification of smart lock cylinder
- 📼 Real gold plating armor handle
- MAX 800 long battery life
- Full house smart linkage

Technology and Art iF International Gold Award Team 2020 New Work







Battery life up to 2 and a half years

Bank-level security protection














Extremely Safe, Extraordinary Temperament

Smart Door Lock – OLOCK


- \cdot WiFi smart door lock, small lock body, US type
- · Support, password, Card unlock
- \cdot realize the linkage of the whole house smart home



Giant Eye 2K Smart Camera S1

- · 2K Ultra HD Image Quality
- · Al Motion Detection
- Motion Tracking and Shooting
- · Cry Monitoring

ORVIBO









High-definition picture for 355° panoramic cruise, you can see more clearly and more fully

Smart Camera

- · 1080P full HD wide-angle image quality
- \cdot Large and wide-angle double rotating platform, no dead angle stereo monitoring
- \cdot Large cloud storage, 7 days of video can be viewed back
- · Two-way intercom as smooth as a phone call





Real-time monitoring of temperature and humidity

Smart Temperature and Humidity Sensor

- · Real-time monitoring of temperature and humidity
- \cdot Full house smart home appliance linkage
- \cdot High precision sensor



Smart Carbon Monoxide Sensor

- · Adopt Japanese NEMOTO high performance sensor
- \cdot Sound and light alarm, the first time to know the accident
- \cdot High stability and low sensitivity drift



Sensitive detection of gas concentration to prevent

Smart Combustible Gas Sensor

- \cdot Imported high stability semiconductor sensor
- Highly sensitive detection of combustible gas
 concentration
- · "Active" telephone alarm in case of distress



One-click emergency call in distress

Smart Emergency Button

- \cdot One-key phone alarm
- · Push alarm reminder
- · Ultra-low power consumption, longer battery life



Real-time detection of smoke concentration to prevent the spread of danger

Smart Smoke Sensor


- \cdot Highly sensitive and stable photoelectric sensor
- \cdot Low–power Zigbee wireless technology is more stable
- · 85dB super decibel alarm sound



Real-time sensing of water anomalies and immediate alerts

Smart Water Leak Sensor

- · Be aware of water leakage, overflow and water level changes at the first time
- \cdot Local light alarm, remote push alarm



The same level of unmanned driving provides super perception of human body status

Motion Sensor

- · 24GHz millimeter wave radar
- \cdot 12 kinds of human body state accurate detection
- · 12m large detection diameter
- · Intelligent lighting control





Always sense door and window switch status

Door and Window Sensor

- \cdot APP real-time view of door and window switch status
- \cdot Interlocked window pusher, automatically closes the window when it rains
- · No installation required,Ready-to-use





One Universal Remote Controller for Whole House

Magic cube / Magic dot Smart Infrared Remote Control

- \cdot One-key control of the whole house infrared home appliances with the mobile app
- · Linkage of air conditioners, TVs, set-top boxes, fans, stereos, etc.
- · 360° infrared signal coverage without dead angle
- · Zigbee signal control home appliances



Smart Device Interconnection Essential For Home Security

Smart Motion Sensor

- \cdot Family scene linkage, lights will be on when people arrive
- · Leaving mode, prompt reminder of abnormal break-in
- \cdot Tool-free installation, three steps to get

iii 📰 🍞 DESIGN AWARD



with the mobile app etc.









Super smart lighting lives up to love




Sky Dome Series Pseudo natural light

S Series

Museum grade professional light

Q Series

Healthy and comfortable light



White





Sky Dome

Pseudo-natural smart downlight

Patented quick installation technology



6000

Whole house scene linkage

Next-generation Quasi-natural Light Smart Light

Sky Dome Series Smart Light

- Four lighting modes
- · Reproduce blue-sky optical technology
- · RG0 grade no-blue light
- · Quick Installation patented technology



Sky Lite Sky Sky Pro Diameter: 0.6m Diameter: 1.06m Diameter: 1.06m





S Series

- Museum grade, high standard optical configuration
- Single lamp smart control, precise dimming









Enjoy eye protection





Extreme Optics, Deep Anti-glare

S Series Smart Spotlight S10 7W



(with frame)







(with frame)



(frameless)

(frameless)

Product Size	Ring shape
φ67×H77mm	Round
L67×W67×H81mm	Square
Cut-out Size	Beam angle
Φ55mm	15° /24° /36°
55×55mm	15° /24° /36°
Color temperature range	Power
2700K ~ 6000K	7W
Color rendering index	Luminous flux
Ra > 90	≥ 350lm

Extreme Optics, Deep Anti-glare

J		
S Series Smart Grille Light S10 (Embedded) (10W)	Product Size	Beam angle
STO (Embedded) (Tow)	L148.6×W45×H43mm	30°
	Cut-out Size	Luminous flux
	L143×W35mm	≥ 500lm
	Color rendering index	Power
	Ra > 90	10W
	Color temperature range	
	2700K ~ 6000K	

Extreme Optics, Deep Anti-glare

S Series Smart Spotlight S10 (12W)





(with frame)





(frameless)

(with frame)

(frameless)

φ85×H103mm φ100×H103mm	Round
L85×W85×H106mm L100×W100×H106mm	Square
Cut-out Size	Beam angle
Φ75mm	15° /24° /36°
75×75mm	15° /24° /36°
Color temperature range	Power
2700K ~ 6000K	12W
Color rendering index	Luminous flux

Product Size

Extreme Optics, Deep Anti-glare
S Series Smart Grille Light S10 (Embedded)(20W)

Ra > 90

≥ 600lm

Ring shape

Product Size	Beam angle
L281.5×W45×H43mm	30°
Cut-out Size	Luminous flux
L275×W35mm	≥ 1000lm
Color rendering index	Power
	1 61161
Ra > 90	20W
Color temperature range	

2700K ~ 6000K

Polarized Light, Uniform Light Distribution

S Series Polarized Wall Washer Light S10 (Embedded) 10W

E		
	-	 1

Product Size	Beam angle			
L148.6×W45×H43mm	/			
Cut-out Size	Luminous flux			
L143×W35mm	≥ 500lm			
Color rendering index	Power			
Ra > 90	10W			
Color temperature range				
2700K ~ 6000K				

Glow Soft, Even Illumination

S Series Ultra Thin Smart Spotlight S1 (Embedded) (7W24°)			

Polarized Light, Uniform Light Distribution

S Series Polarized Wall Washer Light S10 (Embedded) (20W)

1		-	_	
1	 		1.0.00	1

Product Size	Beam angle		
L281.5×W45×H43mm	/		
Cut-out Size	Luminous flux		
L275×W35mm	≥ 1000lm		
Color rendering index	Power		
Ra > 90	20W		
Color temperature range			

Glow Soft, Even Illumination

S Series Ultra Thin Smart Downlight S1 (Embedded)(7W105°)	Product Size	Beam angle
	φ95×H46mm	105°
	Cut-out Size	Luminous flux
	φ75mm	≥ 420lm
	Color rendering index	Power
	Ra > 90	7W
	Color temperature range	

2700K ~ 6000K

Product Size	Beam angle	
ф95×Н46mm	24°	
Cut-out Size	Luminous flux	
φ75mm	≥ 455lm	
Color rendering index	Power	
Ra > 90	7W	

Color temperature range

2700K ~ 6000K

2700K ~ 6000K

Soft Glow, Even Illumination

S Series Anti-Glare Smart Spotlight S1 (7W24°)



Product Size	Beam angle
φ85×H74mm	24°
Cut-out Size	Luminous flux
φ75mm	≥ 460Im
Color rendering index	Power
Ra > 90	7W
Color temperature range	
2700K ~ 6000K	

Soft and Comfortable, Evenly Distributed

S Series Smart Downlight Smart stepless color temperature light <u>5W</u>	Product Size	Beam angle
	ф90×Н63.5mm	100°
	Cut-out Size	Luminous flux
	φ75mm	≥ 400Im
	Color rendering index	Power
	Ra > 90	7W
	Color temperature range	
	2700K ~ 6000K	

No Ceiling Required floor height

S Series Surface Mounted Round Smart Spotlight S3 (7W)



Product Size	Ring shape
ф93×H106mm	Round
L75×W75×H95mm	Square
Beam angle	Power
28°	7W
Color rendering index	Luminous flux
Ra > 90	≥ 420lm

A s

Accurate spotlight and exquisite atmosphere			
S Series Smart spotlight Smart stepless color temperature light 6W	Product Size	Beam angle	
ennan ereprese serer temperatare ngri 🖭	ф90×H63.5mm	28°	
	Cut-out Size	Luminous flux	
and	φ75mm	≥ 500Im	
	Color rendering index	Power	
	Ra > 90	6W	
	Color temperature range		

2700K ~ 6000K

2700K ~ 6000K



Waterproof and Anti-fog for Kitchen and Bathroom

S Series Waterproof Smart Downlight S10 9W



Product Size	Beam angle
ф84.5×Н66mm	90°
Cut-out Size	Luminous flux
φ75mm	≥ 450lm
Color rendering index	Power
Ra > 90	9W



2700K ~ 6000K



Lights on when people come lights off when people leave

S Series Motion Sensor Downlight S10 6W	Product Size
	ф80×H43.5mm
	Cut-out Size
	φ75mm
	Color rendering index
	Ra > 90
	Color temperature range
	3000K / 4000K


85° Luminous flux ≥ 320lm Power 6W

Beam angle


Ultra-thin S20 Beautiful Seam Level Smart Magnetic Track Light

- 6mm ultra-thin track 12mm ultra-thin light
- Zigbee 3.0 single light smart control, 10,000-level dimming and color mixing
- Museum-level healthy light Patented lens anti-glare eye protection
- Strong magnetic adsorption + safety lock patent double insurance





SPWM intelligent control light







Extreme Optics, Deep Anti-glare

S Series S20 Smart	Magnetic	Flood
Light S20 10W		



Product Size	Beam angle
L416×W30×H12mm	110°
Color rendering index	Luminous flux
Ra > 90	≥ 600lm
Color temperature range	Power
2700K ~ 6000K	10W

Extreme Optics, Deep Anti-glare

S Series S20 Smart Magnetic Grille Light S20 (10W)
Social Constant of the Constan

Extreme Optics, Deep Anti-glare

S Series S20 Smart Magnetic Flood Light S20 (20W)



Product Size	Beam angle
L39×W30×H12mm	110°
Color rendering index	Luminous flux
Ra > 90	≥ 1200lm
Color temperature range	Power
2700K ~ 6000K	20W

Extreme Optics, Deep Anti-glare

S Series S20 Smart Magnetic Grille Light S20 (20W)



Product Size	Beam angle
L416×W30×H12mm	24°
Color rendering index	Luminous flux
Ra > 90	≥ 600lm
Color temperature range	Power
2700K ~ 6000K	10W

Product Size	Beam angle
739×W30×H12mm	24°
Color rendering index	Luminous flux
ła > 90	≥ 1200lm
Color temperature range	Power
2700K ~ 6000K	20W

Extreme Optics, Deep Anti-glare

S Series S20 Smart Magnetic Folding Grille Light S20 (12W)



Product Size	Beam angle
L216×W30×H41mm	24°
Color rendering index	Luminous flux
Ra > 90	≥ 720lm
Color temperature range	Power
2700K ~ 6000K	12W

Extreme Optics, Deep Anti-glare



Ultra-thin intelligent magnetic attraction rail lamp accessories

Track | Connector | Magnetic Track Power

Blade Slim Track




500/1500mm | Black/White

S20 Ultra-thin Track Connector



Type I connector | Black/White



Flat L Connector | Black/White

Extreme Optics, Deep Anti-glare

S Series S20 Smart Magnetic Spotlight S20 (12W)




Product Size	Beam angle
L120×W54×H142mm	24°
Color rendering index	Luminous flux
Ra > 90	≥ 660lm
Color temperature range	Power
2700K ~ 6000K	12W

roduct Size	Beam angle
100*W120*H2000mm	75°
olor rendering index	Luminous flux
a > 90	≥ 600lm
color temperature range	Power
700K ~ 6000K	10W








Basic lighting, soft and versatile

S Series Smart Magnetic Floodlight (8W)

Product Size	Beam angle
L220×W22×H25mm	100°
Color rendering index	Luminous flux
Ra > 90	≥ 400lm
Color temperature range	Power
2700K ~ 6000K	8W

Accent lighting



Basic lighting, soft and versatile

S Series Smart Magnetic Floodlight (15W)	Product
	L435×W2
	Color rer
	Ra > 90
	Color ter
	2700K~

Product Size	Beam angle
L435×W22×H25mm	100°
Color rendering index	Luminous flux
Ra > 90	≥ 750lm
Color temperature range	Power
2700K ~ 6000K	15W

Accent lighting



roduct Size	Beam angle
222×W22×H25mm	30°
olor rendering index	Luminous flux
a > 90	≥ 480lm
color temperature range	Power
700K ~ 6000K	8W

roduct Size	Beam angle
435×W22×H25mm	30°
olor rendering index	Luminous flux
a > 90	≥ 900lm
color temperature range	Power
700K ~ 6000K	15W

Basic lighting

S Series Smart Magnetic Folding Grille Light (12W)



Product Size	Beam angle
L222×W22×H110mm	24°
Color rendering index	Luminous flux
Ra > 90	≥ 480lm
Color temperature range	Power
2700K ~ 6000K	8W

Accent lighting




_ Сс _____ Ra _ Сс _____ 27

Accent lighting

S Series Smart Magnetic Spotlight (8W)	Product Size	Beam angle
	φ44×H146mm	24°
	Color rendering index	Luminous flux
	Ra > 90	≥ 480lm
0	Color temperature range	Power
	2700K ~ 6000K	8W

Decorative Lighting



roduct Size	Beam angle
44×H146mm	24°
olor rendering index	Luminous flux
a > 90	≥ 900lm
color temperature range	Power
700K ~ 6000K	15W

Product Size	Beam angle
Light: φ100mm Hanging wire: 900mm	140°
Color rendering index	Luminous flux
Ra > 90	≥ 480lm
Color temperature range	Power
2700K ~ 6000K	6W


Decorative Lighting


S Series Cylindrical Smart Magnetic Chandelier S2 (5W)

Product Size	Beam angle
Light: φ50×H300mm Hanging wire: 900mm	14°
Color rendering index	Luminous flux
Ra > 93	≥ 25Im
Color temperature range	Power
2700K ~ 6000K	5W

Concealed Installation, Neat and Clean

Embedded Magnetic Track Accessories





1m | 2m

Flat corner

No Need for Slotting, Simple Installation

Inside corner

Surface Mounted Magnetic Track Accessories





1m | 2m

Inside corner

No Need for Grooving, Release Layer Height

Flat corner

Ultra-thin surface mounted magnetic track








1m | 2m

Inside corner



Basic lighting Soft and versatile

S Series Cylindrical Smart Magnetic Chandelier S2 (Three PCS) $3\times5W$



Product Size	Beam angle
Light: φ50×H300mm Hanging wire: 900mm	14°
Color rendering index	Luminous flux
Ra > 93	≥ 75Im
Color temperature range	Power
2700K ~ 6000K	3×5W











Flat corner

Outside corner







Magnetic Track

Power Connector

Magnetic Track

Hanging Wire Accessories





Light feels elegant and silky

S Series Smart COB Super Bright Light Strip S10



Light feels elegant and silky

S Series Smart Color Temperature Light Strip



L5 Сс ____ Ra _____ Сс _____ 27


Product Size	LED
L5000×W10mm	672Pcs/m
Color rendering index	Luminous flux
Ra > 90	≥ 550lm
Color temperature range	Power
2700K ~ 6500K	6.5W/m


Product Size	LED
L5000×W14mm	120Pcs/m
Color rendering index	Luminous flux
Ra > 80	≥ 600lm
Color temperature range	Power
2700K ~ 6500K	6W/m

Q Series


- · Natural soft light eye protection slow bright
- · 1000-level precise dimming
- · Zigbee 3.0 wireless intelligent control













Deeply hidden anti-glare, soft eye protection

(9W)

Q Series Anti-Glare Smart Spotligh	۱t



Product Size	Beam angle
ф86xH85mm	24° / 36°
Cut-out Size	Luminous flux
φ75mm	≥ 750Im
Color rendering index	Power
Ra > 90	9W
Color temperature range	
3000K / 4000K / 6000K	

Accent lighting is bright



_ Сс _____ 30

Uniform illumination is bright and soft

Q Series Anti-glare Smart Downlight (9W)



Product Size	Beam angle
φ84xH70mm	100°
Cut-out Size	Luminous flux
φ75mm	≥ 700lm
Color rendering index	Power
Ra > 90	9W

Accent lighting is bright



Color temperature range

3000K / 4000K / 6000K

roduct Size	Beam angle
300×W22×H45mm	110°
olor rendering index	Luminous flux
a > 90	≥ 320lm
color temperature range	Power
000K / 4000K / 6000K	8W

roduct Size	Beam angle	
600×W22×H45mm	110°	
olor rendering index	Luminous flux	
a > 90	≥ 600lm	
color temperature range	Power	
000K / 4000K / 6000K	15W	

Accent lighting lighting ornament

Q	Series	Magnetic	grating	lamp	(W8)



Product Size	Beam angle	
L220×W22×H45mm	30°	
Color rendering index	Luminous flux	
Ra > 90	≥ 640lm	
Color temperature range	Power	
3000K / 4000K / 6000K	8W	

Accent lighting is bright

Product Size	Beam angle
L218×W105×H21mm	30°
Color rendering index	Luminous flux
	≥ 960lm
	Power 12W
	L218×W105×H21mm

Accent lighting lighting ornament

Q Series Magnetic	grating	lamp	(15W)
-------------------	---------	------	-------





Product Size	Beam angle
L440×W22×H45mm	30°
Color rendering index	Luminous flux
Ra > 90	≥ 640lm
Color temperature range	Power
3000K / 4000K / 6000K	15W

Q Series Smart Magnetic Spotlight (8W)	Product Size	Beam angle
	ф45×H100mm	30°
	Color rendering index	Luminous flux
	Ra > 90	≥ 640lm
	Color temperature range	Power
	3000K / 4000K / 6000K	8W

Concealed Installation, Neat and Clean

Embedded Magnetic Track Accessories





Flat corner



1m | 2m

Inside corner

Outside corner

No Need for Slotting, Simple Installation

Surface Mounted Magnetic Track Accessories








1m | 2m

Inside corner Flat corner Outside corner

No Need for Grooving, Release Layer Height

Ultra-thin surface mounted magnetic track



ORVIBO

Seven-star lighting design service



Museum-level Design Effect Experience



The rich layered space highlights the beauty

Soft lighting atmosphere is more comfortable



- · National Lighting Designer
- · German DIALux illumination professional lecturer
- With 1 million m² of lighting design experience



Starting from the details of life

- Professional lighting design drawings
- · Light effect simulation map, false color map
- · Professional lighting selection and guide

One Step into 5G Smart Life

Light And Shadow Aesthetics

Smart Curtain Series



3D Smart Lighting Curtain

R)

Vertical, Water ripple curtain | Curtain Rotation Active fine dimming | 30dB ultimate mute



Elegant 3D light beauty




Slat rotation

Villa–level Wall Penetration Ability

8: 00 am-12: 00 am
 12: 00 am-18: 00 pm
 18: 00 pm-22: 00 pm
 Curtain
 ON

M





dR

DB Super Mute Smart Curtain Motor


0 Carbon, Healthy & Super Quiet











Good products for young people at home. Your curtains will "listen" from now on

Smart Curtain Wiring Free Version

- One key control
- · Support Voice, APP remote control
- Gentle and not disturbing
- Intelligent scene linkage



Included products: curtain motor, running track, remote control, lithium battery








Industry innovation masterpiece, pioneer of high-end smart curtains Super Mute Smart Curtain ZigBee Type

- · One-button control design
- · Magnesium-aluminum alloy integral molding
- Imported motor with strong torque
- · Support voice, APP and other intelligent control


Included products: curtain motor, running track, remote control

(110) - Chan




Bluetooth Decor Speaker ArtisBox





Three-channel DSP sound effect calculation





Orange

Blue


Red







Grey



The second generation of ceiling-mounted background music speakers

BM2 Ceiling Background Music Speaker


- · 25-core titanium membrane tweeter +50W super power
- Frameless design, suitable for various decoration styles
- · Connect MixPad to create more life scenes
- Bluetooth connection, compatible with mobile phones, computers, TVs, etc






Create a smart and comfortable indoor air environment AirMaster Central Air Conditioning Smart Control Kit

- Mobile phone remote control
- Power saving up to 30%
- \cdot Easy to installation













High-end quality life Smart Hanger

- Remote control & voice control
- · Aerospace-grade aluminum anti-oxidation, anti-rust
- · Ultra-quiet and low-noise operation

40 kg super load





Premium sanitized version

Fashion version

Deluxe Drying Edition







Smart Life